



MATERIAL SAFETY DATA SHEET

PRODUCT: CEMFIX

MSDS REF NO: CMF001
DATE OF ISSUE: 21/06/2015

VERSION: 1.0
DATE OF REVISION:

Section 1: Identification of the Product and Supplier

Product name	Product type	Supplier	Emergency Telephone Numbers
CEM FIX	Pozzolanic activator	Iscosa (Pty) Ltd 33 Borax Street Alrode Ext 7, Alberton South Africa	Office: +27 11 908 2511 Brett Freeman: +27 76 740 1356 Grant Freeman: +27 83 449 5489

Section 2: Composition / Application

Chemical name	CAS No:	Percent	Symbol
Cemfix is a strongly alkaline aqueous blend of modified vegetable oils, oleoresins, surfactants and polymers and is recommended for use with cement blends containing pozzolanic materials	Not classified	-	-

Section 3: Hazards Identification

Physical /Chemical Hazards:	Caution! May cause eye and skin irritation. May cause respiratory and digestive tract irritation.
Human Health Hazards	May cause irritation during use. Avoid contact with eyes, skin and clothing. Wash thoroughly after handling.

Section 4: Potential Health Effects

Inhalation	May cause respiratory tract irritation. Not considered to be an aspiration risk.
Ingestion	May cause digestive tract irritation, diarrhoea.
Skin contact	Low hazard for industrial handling.
Eye contact	May cause mild eye irritation.

Section 5: Transport Information

Land:	Not regulated as a hazardous material.
Sea:	Not regulated as a hazardous material.
Air:	Not regulated as a hazardous material.

Section 6: First Aid measures

Inhalation:	Cemfix is not considered an aspiration risk provided that it is applied in a well ventilated area. If breathing problems do arise vacate the area and inhale fresh air and if the problem persists get medical attention.
Ingestion:	Rinse mouth. Get medical attention.
Skin Contact:	Remove all contaminated clothing and wash affected skin areas with plenty of soap and water. If the irritation persists get medical attention.
Eye contact:	Rinse immediately with plenty of water for at least 15 minutes, occasionally lifting the upper and lower lids (remove contact lenses). Get medical attention.
Aggravating conditions:	None.

Section 7: Fire Fighting Measures.

General Information:	Cemfix is not flammable being a water based product, however the packaging could be and appropriate care should be exercised. Wear a self-contained breathing apparatus in pressure demand and full protective gear. Contained liquids can cause the packaging containers to burst if the contents are heated to boiling point.
Extinguishing media:	Use an extinguishing agent most appropriate to extinguish the surrounding fire.

Section 8: Accidental Release Measures

General Information:	Use all of the personal protective clothing and equipment as indicated in Section 11. Do not compromise your safety or health by using sub-standard quality items.
Spills and Leaks:	Cemfix in concentrated or diluted form produces a slippery surface. Sweep up or absorb any spilt material and place it in a suitable clean dry enclosed container for disposal.

Section 9: Handling and Storage

Handling: **Cemfix** in its concentrated form is strongly alkaline and should be handled with care. Always use the recommended personal protection equipment when handling this product.

Storage: Store in a cool, dry, well ventilated area away from incompatible substances.

Section 10: Exposure Controls, Personal Protection

Engineering Controls: Spills – Floor may become slippery - contain spill with absorbent material and apply a strong soap solution to the surface as a final clean-up process.
Apply in a well ventilated area, if spray applied.

Hygiene Measures: Wash hands, forearms and face thoroughly after handling compounds. If your protective clothing and equipment has been contaminated get it cleaned before reuse.

Section 11: Personal Protective Equipment

Eyes: Wear appropriate eyeglasses or chemical safety goggles.

Skin: Wear appropriate gloves to prevent skin exposure.

Clothing: Wear appropriate clothing to prevent skin exposure.

Respirator: Use appropriate respirator.

Section 12: Physical and Chemical Properties

Physical State:	Liquid
Appearance:	Amber Coloured Emulsion
Odour:	Mildly pungent
pH Range	10 - 12
Evaporation Rate:	Negligible
Viscosity:	Ford Cup –125 - 135 seconds @ 25°C
Boiling Point	100°C
Gel Point:	6°C
Decomposition Temperature:	330°C
Solubility:	Soluble in Water
Specific Gravity / Density	0.95 – 1.05
Flash Point	Non Flammable

Section 13: Ecological Information.**Ecotoxicity:** Non Toxic but Caustic**Environmental Fate:** Biodegradable**Section 14: Toxicological Information.****Carcinogenic Effects:** None Reported**Epidemiology:** No information available**Teratogenicity** No information available**Reproductive Effects:** No information available**Neurotoxicity:** No information available**Mutagenicity** No information available**Section 15: Stability and Reactivity****Chemical Stability:** Stable under normal temperatures and pressures.**Conditions to avoid:** Incompatible materials, excess heat.**Incompatible with other materials:** Do not store near strong oxidising Agents.**Hazardous Polymerisation:** Has not been reported.**Section 16: Disposal Considerations.****Methods of Disposal:** Waste must be disposed of in accordance with local environmental control regulations.**Notice to Reader:**

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no way shall Iscosa be liable for any claims, losses or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, however arising, even if Iscosa has been advised of the possibility of such damages. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. This product, unless stated otherwise, is an aqueous blend of several compatible chemical components and this material safety data sheet has been assembled from the information provided in the original manufacturers declaration, the accuracy of which we do not warranty.



MATERIAL SAFETY DATA SHEET

PRODUCT: CLAY SPEED BLEND

MSDS REF NO: CSB001
DATE OF ISSUE: 01/12/2000

VERSION: 2.8
DATE OF REVISION: 08/10/2015

Section 1: Identification of the Product and Supplier

Product name	Product type	Supplier	Emergency Telephone Numbers
CLAY SPEED BLEND	CSB Clay Plasticiser	Iscosa (Pty) Ltd	Office: +27 11 908 2511
		33 Borax Street	Brett Freeman: +27 76 740 1356
		Alrode Ext 7, Alberton	Grant Freeman: +27 83 449 5489
		South Africa	

Section 2: Composition / Application

Chemical name	CAS No:	Percent	Symbol
Clay Speed Blend is an aqueous bend of cellulosic polymers, polyelectrolytes and dispersants and is recommended for use in highly smectitic clay bodies that become sticky and retard extrusion if over hydrated. The Smectite's swelling characteristics are inhibited by a polymer coating and this induces faster extrusion.	Not classified	-	-

Section 3: Hazards Identification

Physical /Chemical Hazards:	Caution! May cause eye and skin irritation. May cause respiratory and digestive tract irritation.
Human Health Hazards	May cause irritation during use. Avoid contact with eyes, skin and clothing. Wash thoroughly after handling.

Section 4: Potential Health Effects

Inhalation	May cause respiratory tract irritation. Not considered to be an aspiration risk.
Ingestion	May cause digestive tract irritation, diarrhoea.
Skin contact	Low hazard for industrial handling.
Eye contact	May cause mild eye irritation.

Section 5: Transport Information

Land:	Not regulated as a hazardous material.
Sea:	Not regulated as a hazardous material.
Air:	Not regulated as a hazardous material.

Section 6: First Aid measures

Inhalation:	Clay Speed Blend is not considered an aspiration risk provided that it is applied in a well ventilated area. If breathing problems do arise vacate the area and inhale fresh air and if the problem persists get medical attention.
Ingestion:	Rinse mouth. Get medical attention.
Skin Contact:	Remove all contaminated clothing and wash affected skin areas with plenty of soap and water. If the irritation persists get medical attention.
Eye contact:	Rinse immediately with plenty of water for at least 15 minutes, occasionally lifting the upper and lower lids (remove contact lenses). Get medical attention.
Aggravating conditions:	None

Section 7: Fire Fighting Measures.

General Information:	Clay Speed Blend is not flammable being a water based product, however the packaging could be and appropriate care should be exercised. Wear a self-contained breathing apparatus in pressure demand and full protective gear. Contained liquids can cause the packaging containers to burst if the contents are heated to boiling point.
Extinguishing media:	Use an extinguishing agent most appropriate to extinguish the surrounding fire.

Section 8: Accidental Release Measures

General Information:	Use all of the personal protective clothing and equipment as indicated in Section 11. Do not compromise your safety or health by using sub-standard quality items.
Spills and Leaks:	Clay Speed Blend in concentrated or diluted form produces a slippery surface. Sweep up or absorb any spilt material and place it in a suitable clean dry enclosed container for disposal.

Section 9: Handling and Storage

Handling:	Clay Speed Blend in its concentrated form is strongly alkaline and should be handled with care. Always use the recommended personal protection equipment when handling this product.
Storage:	Store in a cool, dry, well ventilated area away from incompatible substances.

Section 10: Exposure Controls, Personal Protection

Engineering Controls:	Spills – Floor may become slippery - contain spill with absorbent material and apply a strong soap solution to the surface as a final clean-up process. Apply in a well ventilated area, if spray applied.
Hygiene Measures:	Wash hands, forearms and face thoroughly after handling compounds. If your protective clothing and equipment has been contaminated get it cleaned before reuse.

Section 11: Personal Protective Equipment

Eyes:	Wear appropriate eyeglasses or chemical safety goggles.
Skin:	Wear appropriate gloves to prevent skin exposure.
Clothing:	Wear appropriate clothing to prevent skin exposure.
Respirator:	Use appropriate respirator.

Section 12: Physical and Chemical Properties

Physical State:	Liquid
Appearance:	Off White Amber Opaque Liquid
Odour:	Slight Soap smell
pH Range	8 - 9
Evaporation Rate:	Negligible
Viscosity:	Ford Cup –60 - 75 seconds @ 25°C
Boiling Point	102°C
Gel Point:	<2°C
Decomposition Temperature:	270°C
Solubility:	Soluble in Water
Specific Gravity / Density	0.95 – 1.10
Flash Point	Non Flammable

Section 13: Ecological Information.

Ecotoxicity:	Non Toxic
Environmental Fate:	Biodegradable

Section 14: Toxicological Information.

Carcinogenic Effects:	None Reported
Epidemiology:	No information available
Teratogenicity	No information available
Reproductive Effects:	No information available
Neurotoxicity:	No information available
Mutagenicity	No information available

Section 15: Stability and Reactivity

Chemical Stability:	Stable under normal temperatures and pressures.
Conditions to avoid:	Incompatible materials, excess heat.
Incompatible with other materials:	Do not store near strong oxidising Agents.
Hazardous Polymerisation:	Has not been reported.

Section 16: Disposal Considerations.

Methods of Disposal:	Waste must be disposed of in accordance with local environmental control regulations.
-----------------------------	---

Notice to Reader:

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no way shall Iscosa be liable for any claims, losses or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, however arising, even if Iscosa has been advised of the possibility of such damages. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. This product, unless stated otherwise, is an aqueous blend of several compatible chemical components and this material safety data sheet has been assembled from the information provided in the original manufacturers declaration, the accuracy of which we do not warranty.



MATERIAL SAFETY DATA SHEET

PRODUCT: EXTRUDE ALL

MSDS REF NO: EAO001

VERSION: 2.0

DATE OF ISSUE: 14/05/2013

DATE OF REVISION: 08/10/2015

Section 1: Identification of the Product and Supplier

Product name	Product type	Supplier	Emergency Telephone Numbers
EXTRUDE ALL	Grog Binder	Iscosa (Pty) Ltd	Office: +27 11 908 2511
		33 Borax Street	Brett Freeman: +27 76 740 1356
		Alrode Ext 7, Alberton	Grant Freeman: +27 83 449 5489
		South Africa	

Section 2: Composition / Application

Chemical name	CAS No:	Percent	Symbol
Extrude All is a specially formulated blend of modified oleoresin oils, surfactants and coalescing agents. It is recommended for use in heavily grogged plastic clays.	Not classified	-	-

Section 3: Hazards Identification

Physical /Chemical Hazards:	Caution! May cause eye and skin irritation. May cause respiratory and digestive tract irritation.
Human Health Hazards	May cause irritation during use. Avoid contact with eyes, skin and clothing. Wash thoroughly after handling.

Section 4: Potential Health Effects

Inhalation	May cause respiratory tract irritation. Not considered to be an aspiration risk.
Ingestion	May cause digestive tract irritation, diarrhoea.
Skin contact	Low hazard for industrial handling.
Eye contact	May cause mild eye irritation.

Section 5: Transport Information

Land:	Not regulated as a hazardous material.
Sea:	Not regulated as a hazardous material.
Air:	Not regulated as a hazardous material.

Section 6: First Aid measures

Inhalation:	Extrude All is not considered an aspiration risk provided that it is applied in a well ventilated area. If breathing problems do arise vacate the area and inhale fresh air and if the problem persists get medical attention.
Ingestion:	Rinse mouth. Get medical attention.
Skin Contact:	Remove all contaminated clothing and wash affected skin areas with plenty of soap and water. If the irritation persists get medical attention.
Eye contact:	Rinse immediately with plenty of water for at least 15 minutes, occasionally lifting the upper and lower lids (remove contact lenses). Get medical attention.
Aggravating conditions:	None.

Section 7: Fire Fighting Measures.

General Information:	Extrude All is not flammable being a water based product, however the packaging could be and appropriate care should be exercised. Wear a self-contained breathing apparatus in pressure demand and full protective gear. Contained liquids can cause the packaging containers to burst if the contents are heated to boiling point.
Extinguishing media:	Use an extinguishing agent most appropriate to extinguish the surrounding fire.

Section 8: Accidental Release Measures

General Information:	Use all of the personal protective clothing and equipment as indicated in Section 11. Do not compromise your safety or health by using sub-standard quality items.
Spills and Leaks:	Extrude All in concentrated or diluted form produces a slippery surface. Sweep up or absorb any spilt material and place it in a suitable clean dry enclosed container for disposal.

Section 9: Handling and Storage

Handling: **Extrude All** in its concentrated form is strongly alkaline and should be handled with care. Always use the recommended personal protection equipment when handling this product.

Storage: Store in a cool, dry, well ventilated area away from incompatible substances.

Section 10: Exposure Controls, Personal Protection

Engineering Controls: Spills – Floor may become slippery - contain spill with absorbent material and apply a strong soap solution to the surface as a final clean-up process.
Apply in a well ventilated area, if spray applied.

Hygiene Measures: Wash hands, forearms and face thoroughly after handling compounds. If your protective clothing and equipment has been contaminated get it cleaned before reuse.

Section 11: Personal Protective Equipment

Eyes: Wear appropriate eyeglasses or chemical safety goggles.

Skin: Wear appropriate gloves to prevent skin exposure.

Clothing: Wear appropriate clothing to prevent skin exposure.

Respirator: Use appropriate respirator.

Section 12: Physical and Chemical Properties

Physical State:	Liquid
Appearance:	Off White to orange emulsion
Odour:	Pine oil scent
pH Range	10 – 10.5
Evaporation Rate:	Negligible
Viscosity:	Ford Cup –135 - 145 seconds @ 25°C
Boiling Point	105°C
Gel Point:	5°C
Decomposition Temperature:	285°C
Solubility:	Soluble in Water
Specific Gravity / Density	1.00 – 1.05
Flash Point	Non Flammable

Section 13: Ecological Information.

Ecotoxicity:	Non Toxic
Environmental Fate:	Biodegradable

Section 14: Toxicological Information.

Carcinogenic Effects:	None Reported
Epidemiology:	No information available
Teratogenicity	No information available
Reproductive Effects:	No information available
Neurotoxicity:	No information available
Mutagenicity	No information available

Section 15: Stability and Reactivity

Chemical Stability:	Stable under normal temperatures and pressures.
Conditions to avoid:	Incompatible materials, excess heat.
Incompatible with other materials:	None Reported.
Hazardous Polymerisation:	Has not been reported.

Section 16: Disposal Considerations.

Methods of Disposal:	Waste must be disposed of in accordance with local environmental control regulations.
-----------------------------	---

Notice to Reader:

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no way shall Iscosa be liable for any claims, losses or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, however arising, even if Iscosa has been advised of the possibility of such damages. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. This product, unless stated otherwise, is an aqueous blend of several compatible chemical components and this material safety data sheet has been assembled from the information provided in the original manufacturers declaration, the accuracy of which we do not warranty.



MATERIAL SAFETY DATA SHEET

PRODUCT: MAGNAFIX

MSDS REF NO: MFO001

VERSION: 3.5

DATE OF ISSUE: 01/02/2001

DATE OF REVISION: 08/10/2015

Section 1: Identification of the Product and Supplier

Product name	Product type	Supplier	Emergency Telephone Numbers
MAGNAFIX	Magnafix	Iscosa (Pty) Ltd 33 Borax Street Alrode Ext 7, Alberton South Africa	Office: +27 11 908 2511 Brett Freeman: +27 76 740 1356 Grant Freeman: +27 83 449 5489

Section 2: Composition / Application

Chemical name	CAS No:	Percent	Symbol
Magnafix is a magnesium enriched aqueous blend of modified vegetable and marine oils, polymers, polyelectrolytes and modified starches and is recommended for use in heavy clays that contain elevated levels of free quartz. Magnafix accelerates the hardening process of drying clays and reduces drying shrinkage.	Not classified	-	-

Section 3: Hazards Identification

Physical /Chemical Hazards:	Caution! May cause eye and skin irritation. May cause respiratory and digestive tract irritation.
Human Health Hazards	May cause irritation during use. Avoid contact with eyes, skin and clothing. Wash thoroughly after handling.

Section 4: Potential Health Effects

Inhalation	May cause respiratory tract irritation. Not considered to be an aspiration risk.
Ingestion	May cause digestive tract irritation, diarrhoea.
Skin contact	Low hazard for industrial handling.
Eye contact	May cause mild eye irritation.

Section 5: Transport Information

Land:	Not regulated as a hazardous material.
Sea:	Not regulated as a hazardous material.
Air:	Not regulated as a hazardous material.

Section 6: First Aid measures

Inhalation:	Magnafix is not considered an aspiration risk provided that it is applied in a well ventilated area. If breathing problems do arise vacate the area and inhale fresh air and if the problem persists get medical attention.
Ingestion:	Rinse mouth. Get medical attention.
Skin Contact:	Remove all contaminated clothing and wash affected skin areas with plenty of soap and water. If the irritation persists get medical attention.
Eye contact:	Rinse immediately with plenty of water for at least 15 minutes, occasionally lifting the upper and lower lids (remove contact lenses). Get medical attention.
Aggravating conditions:	None.

Section 7: Fire Fighting Measures.

General Information:	Magnafix is not flammable being a water based product, however the packaging could be and appropriate care should be exercised. Wear a self-contained breathing apparatus in pressure demand and full protective gear. Contained liquids can cause the packaging containers to burst if the contents are heated to boiling point.
Extinguishing media:	Use an extinguishing agent most appropriate to extinguish the surrounding fire.

Section 8: Accidental Release Measures

General Information:	Use all of the personal protective clothing and equipment as indicated in Section 11. Do not compromise your safety or health by using sub-standard quality items.
Spills and Leaks:	Magnafix in concentrated or diluted form produces a slippery surface. Sweep up or absorb any spilt material and place it in a suitable clean dry enclosed container for disposal.

Section 9: Handling and Storage

Handling: **Magnafix** in its concentrated form is strongly alkaline and should be handled with care. Always use the recommended personal protection equipment when handling this product.

Storage: Store in a cool, dry, well ventilated area away from incompatible substances.

Section 10: Exposure Controls, Personal Protection

Engineering Controls: Spills – Floor may become slippery - contain spill with absorbent material and apply a strong soap solution to the surface as a final clean-up process.
Apply in a well ventilated area, if spray applied.

Hygiene Measures: Wash hands, forearms and face thoroughly after handling compounds. If your protective clothing and equipment has been contaminated get it cleaned before reuse.

Section 11: Personal Protective Equipment

Eyes: Wear appropriate eyeglasses or chemical safety goggles.

Skin: Wear appropriate gloves to prevent skin exposure.

Clothing: Wear appropriate clothing to prevent skin exposure.

Respirator: Use appropriate respirator.

Section 12: Physical and Chemical Properties

Physical State: Liquid

Appearance: Off White milky emulsion

Odour: Mildly antiseptic

pH Range 9 - 10

Evaporation Rate: Negligible

Viscosity: Ford Cup –95 - 110 seconds @ 25°C

Boiling Point 100°C

Gel Point: <2°C

Decomposition Temperature: 280°C

Solubility: Soluble in Water

Specific Gravity / Density 1.05 – 1.5

Flash Point Non Flammable

Section 13: Ecological Information.

Ecotoxicity:	Non Toxic
Environmental Fate:	Biodegradable

Section 14: Toxicological Information.

Carcinogenic Effects:	None Reported
Epidemiology:	No information available
Teratogenicity	No information available
Reproductive Effects:	No information available
Neurotoxicity:	No information available
Mutagenicity	No information available

Section 15: Stability and Reactivity

Chemical Stability:	Stable under normal temperatures and pressures.
Conditions to avoid:	Incompatible materials, excess heat.
Incompatible with other materials:	Do not store near strong oxidising Agents.
Hazardous Polymerisation:	Has not been reported.

Section 16: Disposal Considerations.

Methods of Disposal:	Waste must be disposed of in accordance with local environmental control regulations.
-----------------------------	---

Notice to Reader:

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no way shall Iscosa be liable for any claims, losses or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, however arising, even if Iscosa has been advised of the possibility of such damages. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. This product, unless stated otherwise, is an aqueous blend of several compatible chemical components and this material safety data sheet has been assembled from the information provided in the original manufacturers declaration, the accuracy of which we do not warranty.



MATERIAL SAFETY DATA SHEET

PRODUCT: SOURING FLUID

MSDS REF NO: SF001
DATE OF ISSUE: 20/02/2005

VERSION: 3.6
DATE OF REVISION: 08/10/2015

Section 1: Identification of the Product and Supplier

Product name	Product type	Supplier	Emergency Telephone Numbers
SOURING FLUID	Clay Disperser	Iscosa (Pty) Ltd	Office: +27 11 908 2511
		33 Borax Street	Brett Freeman: +27 76 740 1356
		Alrode Ext 7, Alberton	Grant Freeman: +27 83 449 5489
		South Africa	

Section 2: Composition / Application

Chemical name	CAS No:	Percent	Symbol
Souring Fluid is an aqueous blend of dispersants and oxygenating compounds cross linked with an anionic cellulose polymer and is recommended as an additive to freshly mined heavy clays.	Not classified	-	-

Section 3: Hazards Identification

Physical /Chemical Hazards:	Caution! May cause eye and skin irritation. May cause respiratory and digestive tract irritation.
Human Health Hazards	May cause irritation during use. Avoid contact with eyes, skin and clothing. Wash thoroughly after handling.

Section 4: Potential Health Effects

Inhalation	May cause respiratory tract irritation. Not considered to be an aspiration risk.
Ingestion	May cause digestive tract irritation, diarrhoea.
Skin contact	Low hazard for industrial handling.
Eye contact	May cause mild eye irritation.

Section 5: Transport Information	
Land:	Not regulated as a hazardous material.
Sea:	Not regulated as a hazardous material.
Air:	Not regulated as a hazardous material.

Section 6: First Aid measures	
Inhalation:	Souring Fluid is not considered an aspiration risk provided that it is applied in a well ventilated area. If breathing problems do arise vacate the area and inhale fresh air and if the problem persists get medical attention.
Ingestion:	Rinse mouth. Get medical attention.
Skin Contact:	Remove all contaminated clothing and wash affected skin areas with plenty of soap and water. If the irritation persists get medical attention.
Eye contact:	Rinse immediately with plenty of water for at least 15 minutes, occasionally lifting the upper and lower lids (remove contact lenses). Get medical attention.
Aggravating conditions:	None.

Section 7: Fire Fighting Measures.	
General Information:	Souring Fluid is not flammable being a water based product, however the packaging could be and appropriate care should be exercised. Wear a self-contained breathing apparatus in pressure demand and full protective gear. Contained liquids can cause the packaging containers to burst if the contents are heated to boiling point.
Extinguishing media:	Use an extinguishing agent most appropriate to extinguish the surrounding fire.

Section 8: Accidental Release Measures	
General Information:	Use all of the personal protective clothing and equipment as indicated in Section 11. Do not compromise your safety or health by using sub-standard quality items.
Spills and Leaks:	Souring Fluid in concentrated or diluted form produces a slippery surface. Sweep up or absorb any spilt material and place it in a suitable clean dry enclosed container for disposal.

Section 9: Handling and Storage

Handling: **Souring Fluid** in its concentrated form is strongly alkaline and should be handled with care. Always use the recommended personal protection equipment when handling this product.

Storage: Store in a cool, dry, well ventilated area away from incompatible substances.

Section 10: Exposure Controls, Personal Protection

Engineering Controls: Spills – Floor may become slippery - contain spill with absorbent material and apply a strong soap solution to the surface as a final clean-up process.
Apply in a well ventilated area, if spray applied.

Hygiene Measures: Wash hands, forearms and face thoroughly after handling compounds. If your protective clothing and equipment has been contaminated get it cleaned before reuse.

Section 11: Personal Protective Equipment

Eyes: Wear appropriate eyeglasses or chemical safety goggles.

Skin: Wear appropriate gloves to prevent skin exposure.

Clothing: Wear appropriate clothing to prevent skin exposure.

Respirator: Use appropriate respirator.

Section 12: Physical and Chemical Properties

Physical State: Liquid

Appearance: Light green

Odour: None Reported

pH Range 7,5

Evaporation Rate: Negligible

Viscosity: Ford Cup –30 - 35 seconds @ 25°C

Boiling Point 100°C

Gel Point: <0°C

Decomposition Temperature: 225°C

Solubility: Soluble in Water

Specific Gravity / Density 1.1 – 1.25

Flash Point Non Flammable

Section 13: Ecological Information.

Ecotoxicity:	Non Toxic
Environmental Fate:	Biodegradable

Section 14: Toxicological Information.

Carcinogenic Effects:	None Reported
Epidemiology:	No information available
Teratogenicity	No information available
Reproductive Effects:	No information available
Neurotoxicity:	No information available
Mutagenicity	No information available

Section 15: Stability and Reactivity

Chemical Stability:	Stable under normal temperatures and pressures.
Conditions to avoid:	Incompatible materials, excess heat.
Incompatible with other materials:	None Reported .
Hazardous Polymerisation:	Has not been reported.

Section 16: Disposal Considerations.

Methods of Disposal:	Waste must be disposed of in accordance with local environmental control regulations.
-----------------------------	---

Notice to Reader:

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no way shall Iscosa be liable for any claims, losses or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, however arising, even if Iscosa has been advised of the possibility of such damages. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. This product, unless stated otherwise, is an aqueous blend of several compatible chemical components and this material safety data sheet has been assembled from the information provided in the original manufacturers declaration, the accuracy of which we do not warranty.